

ASSESSMENT



Differential diagnosis is THE key concept in determining appropriate intervention for speech . impairment

ALWAYS LEARNING

PEARSON

Diagnostic Evaluation of Articulation and Phonology (DEAP) is multifaceted.

- A diagnostic screen
 An oromotor assessment
 An articulation assessment
 A phonological assessment

 Single words
 Connected speech

 An inconsistency assessment



The Diagnostic Screen

- THE SCREEN SAVES A HUGE AMOUNT OF TIME
- Allows the clinician to determine which direction the assessment of a child should take.
 - · The child names 10 pictures.
 - Any sounds not produced correctly are tested for sound stimulability
 - Then, the same 10 pictures are named again.
 - Inconsistency is calculated in percentage terms, between trials
 - A comparison is made with the expected normative data for:
 Sounds NOT elicited

Error patterns used

AIV	2 Y 4 1	1 F A	RN	ING

PEARSON

Screening Test Results: Lucy 3;7

Target	IPA	Transcription 1	Transcription 2	Speech Sounds Not Imitated
Watch	wot∫	wpt	wnts	
Fishing	fıʃɪŋ	fısın	fısın	ſ
Gloves	glʌvz	dʌbz	dʌbz	
Spider	spaidə	paɪdə	paidə	
Thank you	fæŋk ju	fæntu	fæntu	θ
Scissors	SIZƏZ	SIZƏZ	SIZƏZ	
Helicopter	hɛlikoptə	hertotə	helitotə	
Bridge	brid3	bid	bid	r, d ₃
Umbrella	νmprεla	bɛlə	bɛlə	
elephant	εləfənt	εfənt	εfənt	

PEARSON LWAYS LEARNING

On the basis of the findings from the screener, the clinician can choose one or more of the following routes:

- · Articulation assessment, checking stimulability.
- · Phonological assessment, checking error patterns and comparing PCC to the norms.
- Inconsistency assessment to determine nature and degree of inconsistency.
- Oro-motor assessment is done if child has an articulation difficulty or is inconsistent, to identify dysarthria or CAS.

	Decision Making Schema			
	Diagnostic Screen Indicators	Action		
	Age Appropriate	Review/Discharge		
	Phonetic Errors, Imitation X	Articulation and Oro-motor subtests		
	Error patterns (not age appropriate)	Phonology Subtest		
	50%+ Inconsistent	Inconsistency and Oro-motor subtests		
		PEARCON		
ALWA	NYS LEARNING	PEARSO		

Reliability of the Screen

- Study 1: All 30 children in a class at a local school assessed on all subtests
- Study 2: 30 children on a waiting list for assessment (initial or review) of speech difficulty.
- Findings: 10 % false positives NO false negatives



ALWAYS LEARNING

PEARSON

The Articulation Assessment

- 30 CVC words 3 opportunities
- Samples all the English speech sounds in initial and/or final position. It allows for speech sound stimulability of errors in a CV syllable or in isolation.
- The aim is to assess whether a child can produce a perceptually acceptable speech sound.
- 90% criterion used. If >10% of normative sample in a 6 month age band CAN'T produce a sound, then it is age appropriate NOT to be able to say it.



ALWAYS LEARNING

Oromotor

- · Diadochokinetic task: 'patacake'
- · Isolated movements: e.g. tongue elevation
- · Sequenced movements: e.g. kiss and cough
- Two trials, second scored out of 3
 Rules for scoring on scoresheet
- Compliance problem
- Reliability



PEARSON

Types of Articulation Disorder

- Developmental delay (e.g., w/r; f/θ)
- · Phonetic disorder (lisp)
- Anatomical anomaly (e.g., cleft palate)
- Dysarthria (e.g., cerebral palsy)
 - *?Childhood Apraxia of Speech?*

ALWAYS LEARNING

PEARSON

Phonology

- 50 pictures: all consonants in most phonetic contexts, all but one vowel
- · Range of syllable shapes and lengths
- 3 'funny' pictures 14 words from single word list elicited in sentences
- Tables for calculating PCC, PVC, Error Patterns (5) examples), SW-Cont Sp Ratio.



The Phonological Assessment


- · The transcription can then be described in terms of patterns that are:

 - -Age appropriate
 -Delayed error patterns
 -Unusual error patterns
 -Standard scores for:
 Consonants in error
 Vowels in error
 Single words vs. con

 - o Single words vs. continuous speech ratio

PEARSON

Single Word vs. Continuous Speech ALWAYS LEARNING PEARSON



Single-Word vs. Continuous Speech				
Target Word	Realisation	Same	Different	
frog	pog	✓		
strawberry	idcb		✓	
spider	paɪdə	✓		
toothbrush	tutb∧t	✓		
WAYS LEARNING			PEARSO	

Consistency

- 25 words, 3 trials separated by another activity
 All three identical = 0, otherwise 1, converted to percentage
 Different error forms, not alternation between correct and developmental error.
 40% criterion (norms indicate < 10%)
 36%-44% investigate phonological working memory, spontaneous speech

Inconsistency is one symptom of Childhood Apraxia of Speech (CAS) which is rare, over-diagnosed and controversial.

ALWAYS LEARNING

PEARSON

CAS ISD Oro-motor skills within normal limits Poor oro-motor skills Better in imitation than spontaneous Poorer in imitation than spontaneous production Dysfluent, short utterance length, Fluent, normal utterance length, prosodic disturbance, slow speech rate normal affect, normal-rapid speech rate Best therapy focuses on phonetic gesture (PROMPT, Hayden) Best therapy: Core vocabulary

Differential Diagnosis of CAS and ISD

The DEAP Diagnoses:

- · articulation disorder (dysarthria)
- articulation disorder (phonetic planning)
- delayed phonological development (extent) phonological disorder (use of non-developmental error patterns)
- phonological disorder (inconsistency in the absence of CAS)
- · childhood apraxia of speech

PEARSON

QUESTIONS?

The structure of the DEAP is different from other assessments of speech. Why?...

ALWAYS LEARNING

PEARSON

...because diagnosis is linked to treatment

Diagnosis	Target and Evid	ence Based Intervention
Articulation	Speech sounds	- Articulation therapy
Delay	Connected speech Error patterns	Whole language;Phonological contrast
Consistent disorder	Error patterns	- Phonological contrast
Inconsistent disorder	Words	- Core vocabulary
CAS	Phonetic gesture	- PROMPT

Why is Differential Diagnosis Necessary?



ALWAYS LEARNING

PEARSON

Children with SSD are a Heterogeneous Group

They differ in terms of:

- Age of acquisition (at birth, developmental emergence, acquired after illness or accident)
- Severity
- Causal and maintenance factors
- · Types of errors
- Profile of associated abilities
- Response to intervention

ALWAYS LEARNIN

PEARSON

Severity: PCC - Most Common Descriptor

Categories: Mild (>90%), Moderate (>65) Severe (<50)

Problematic because:

- Sample size varies, range of sounds sampled
- Substitutions and omissions treated the same as distortions
- Vowels not included
- · Consistency is not evaluated
- Age and gender affect results (e.g., an age appropriate 3 year old would be classified as moderately-severely impaired)

ALWAYS LEARNING

Other Ways of Classifying Subgroups

- · Aetiology (Shriberg and colleagues)
- Psycholinguistic abilities (Stackhouse and Wells, and colleagues)
- Description of linguistic symptomatology (Kamhi)
- Matching articulatory and phonological error types with psycholinguistic abilities and response to intervention (Dodd and colleagues)

ALWAYS LEADNING

PEARSON

Speech Error Profiles

- 4 groups of children with SSD according to type of speech sound errors made were identified:
- Psycholinguistic experiments compared these 4 groups on range of studies to describe:
 - psycholinguistic abilities (including literacy),
 - risk factors,
 - · natural history of disorder,
 - clinical efficacy trials have examined response to different types of therapy for each group.

ALWAYS LEARNING

PEARSON

The DEAP's Differential Diagnosis of SSD

Studies indicate that children referred with speech disorder fall into the following subgroups:

- · Articulation disorder 10%
- Delayed phonological acquisition 60%
- Consistent speech disorder 20%
- Inconsistent speech disorder 10%
- Childhood Apraxia of Speech (CAS) Rare (Crary: .002% of total population; Shriberg: 3-5% of children with a speech. [Morely – 'the children who don't get better in therapy']

ALWAYS LEARNING

Articulation Disorder

- Definition: Production of perceptually inaccurate phones, can co-occur with phonological disorder.
- Causes:
 - Mis-learning of phonetic program for sound production e.g. lisp

(NB Organic articulation disorders due to anatomical anomaly e.g. cleft palate, and motor dysarthrias e.g. cerebral palsy require specialist assessment and intervention.)

PEARSON

Mis-learned motor program for phone production

- e.g. lisps, w/r, /k/ Associated Abilities in Deficit: None yet identified Deficit in Speech Processing: Output processing phonetic motor program
 → perceptually unacceptable phone.
- Best Intervention: Focus on motoric production of individual speech sound(s) in isolation, nonsense syllables, single syllable words, carrier phrases and sentences e.g. Van Riper.



LWAYS LEARNING

PEARSON

Gierut (1998)

- · Articulation impairments reflect motoric production of speech sounds -hence *phonetic* in nature.
- Phonological impairments reflect problems at the level of phonological representation and are therefore phonemic in nature.



Delayed Phonology

- Definition: All speech errors typical of a child of a younger chronological age.
- Possible Causes:

 - Language learning environment
 Intermittent hearing loss, otitis media (Fox)
 Slower maturation, general mild delay
- Associated Abilities in Deficit: Non-word spelling, number of phonologically plausible spelling errors.
 - Often have associated articulation disorder. Slower development of rule derivation – phonology and rule learning in general.

PEARSON

Delayed Phonology

- Tasks showing NO statistical difference from controls: phonological awareness, input processing, oro-motor skills.
- · Deficit in Speech Processing: Not yet known.
- · Typical characterisation: Low-end of the normal range
- Best Intervention:
 (i) Whole language groups: general language stimulation (Marion Blank)
 - (ii) Phonological contrast therapy (focus on delayed error patterns (Metaphon, Gierut, Weiner).

LWAYS LEARNING

PEARSON

Consistent Phonological Disorder

- Definition: At least one error pattern that is atypical of usual phonological acquisition (e.g., backing, favorite sound, initial consonant deletion, vowel errors). Most children also have some delayed patterns, a few have co-occurring articulation disorder.
- Possible cause: Genetic 45% report family history of CD compared to 20% of controls; the only risk factor identified.
- Associated Abilities in Deficit: Phonological awareness, literacy, rule derivation, cognitive flexibility.
- Tasks showing NO statistical difference from controls: *auditory* input processing, oro-motor skills, poor on some lip-reading tasks

Consistent Disorder: Deficit in Speech Processing

- Cognitive-linguistic deficit: impaired ability to derive phonological constraints (e.g., learn the correct rules governing phonology).
- · Best Intervention:

Phonological contrast therapy (focus on disordered error patterns: Metaphon, Gierut, Weiner). e.g. minimal or maximal pairs, multiple comparisons

ALWAYS LEARNING

PEARSON

Inconsistent Speech Disorder

- Definition: Inconsistent production of the same lexical items in the same phonetic context.
- Possible Cause: Unknown, but possible specific birth injury (case history data, differences in populations, adult aphasia similarities)
- Associated Abilities in Deficit: Spelling, learning new words, learning new fine motor programs e.g. NWR
- Tasks showing NO statistical difference from controls: phonological awareness (except syllable counting), reading, rule derivation and flexibility, input processing, oro-motor skills.

ALWAYS LEARNING

PEARSON

Inconsistent Speech Disorder

- Deficit in Speech Processing: phonological assembly translating internal mental representation of words into a phonological plan (choice of phonemes and their sequence) for output.
- Best Intervention: Core vocabulary therapy focus on teaching children how to plan the constituents of whole words.

ALWAYS LEARNING

What is the evidence that these groups are real?

- The subgroups differ in terms of their:
 Associated ability profiles
 Risk factors
 Natural history (delayed spontaneously improve)
 Response to therapy
- The subgroups exist in all languages tested so far: including Cantonese, Mandarin, Punjabi, Arabic, Maltese, German, Italian.
- Bilinguals have the same subtype of disorder in both languages.

PEARSON
