



Minnesota Multiphasic
Personality Inventory-2
Restructured Form®

SAMPLE REPORT

Case Description: Mr. I Score Report

Mr. I is a 46-year-old, married man admitted for inpatient treatment after presenting with psychotic thinking and assaultive behavior. At intake, he described a recent pattern of decreased sleep and presented with bizarre delusional thinking, religious preoccupation, visual hallucinations, and tangential and circumstantial thinking. He had previously been diagnosed with Schizophrenia and Schizoaffective Disorder.

Case descriptions do not accompany MMPI-2-RF reports, but are provided here as background information. The following report was generated from Q-global™, Pearson's web-based scoring and reporting application, using Mr. I.'s responses to the MMPI-2-RF. Additional MMPI-2-RF sample reports, product offerings, training opportunities, and resources can be found at [PearsonClinical.com/mmpi2rf](https://www.pearsonclinical.com/mmpi2rf).

Copyright © 2014 Pearson Education, Inc. or its affiliate(s). All rights reserved. Q-global, Always Learning, Pearson, design for Psi, and PsychCorp are trademarks, in the U.S. and/or other countries, of Pearson Education, Inc. or its affiliate(s). Minnesota Multiphasic Personality Inventory-2 Restructured Form and MMPI-2-RF are registered trademarks of the University of Minnesota, Minneapolis, MN. 8795-A 01/14



Minnesota Multiphasic
Personality Inventory-2
Restructured Form®

Score Report

MMPI-2-RF®

Minnesota Multiphasic Personality Inventory-2-Restructured Form®

Yossef S. Ben-Porath, PhD, & Auke Tellegen, PhD

ID Number:	Mr. I
Age:	36
Gender:	Male
Marital Status:	Married
Years of Education:	Not reported
Date Assessed:	1/13/14



Copyright © 2008, 2011, 2012 by the Regents of the University of Minnesota. All rights reserved.
Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc. Portions reproduced from the MMPI-2-RF test booklet. Copyright © 2008 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the *MMPI-2-RF Manual for Administration, Scoring, and Interpretation*. Copyright © 2008, 2011 by the Regents of the University of Minnesota. All rights reserved. Used by permission of the University of Minnesota Press.


MMPI-2-RF, the **MMPI-2-RF logo**, and **Minnesota Multiphasic Personality Inventory-2-Restructured Form** are registered trademarks of the University of Minnesota. **Pearson**, the **PSI logo**, and **PsychCorp** are trademarks in the U.S. and/or other countries of Pearson Education, Inc., or its affiliate(s).

TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

[2.2 / 56 / 0.0.0]

MMPI-2-RF Validity Scales



Raw Score:	3	12	7	0	3	2	4	2	6
T Score:	48	57 T	74	42	66	32	46	47	45
Response %:	94	100	97	95	94	87	100	100	86
Cannot Say (Raw):	17								
					Percent True (of items answered):				52%

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

VRIN-r	Variable Response Inconsistency	Fs	Infrequent Somatic Responses	L-r	Uncommon Virtues
TRIN-r	True Response Inconsistency	FBS-r	Symptom Validity	K-r	Adjustment Validity
F-r	Infrequent Responses	RBS	Response Bias Scale		
Fp-r	Infrequent Psychopathology Responses				

MMPI-2-RF Higher-Order (H-O) and Restructured Clinical (RC) Scales




	EID	THD	BXD	RCd	RC1	RC2	RC3	RC4	RC6	RC7	RC8	RC9
Raw Score:	5	4	13	3	1	0	5	9	4	9	6	24
T Score:	43	60	68	49	42	34	47	62	70	55	66	80
Response %:	100	96	96	100	93	100	47	100	94	96	94	96

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

EID	Emotional/Internalizing Dysfunction	RCd	Demoralization	RC6	Ideas of Persecution
THD	Thought Dysfunction	RC1	Somatic Complaints	RC7	Dysfunctional Negative Emotions
BXD	Behavioral/Externalizing Dysfunction	RC2	Low Positive Emotions	RC8	Aberrant Experiences
		RC3	Cynicism	RC9	Hypomanic Activation
		RC4	Antisocial Behavior		

MMPI-2-RF Somatic/Cognitive and Internalizing Scales




Raw Score:	2	0	0	1	5	2	1	0	3	2	0	3	0	2
T Score:	52	46	42	53	69	79	52	42	51	47	44	54	43	46
Response %:	100	100	100	90	100	100	100	100	100	100	100	100	100	100

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

MLS	Malaise	SUI	Suicidal/Death Ideation	AXY	Anxiety
GIC	Gastrointestinal Complaints	HLP	Helplessness/Hopelessness	ANP	Anger Proneness
HPC	Head Pain Complaints	SFD	Self-Doubt	BRF	Behavior-Restricting Fears
NUC	Neurological Complaints	NFC	Inefficacy	MSF	Multiple Specific Fears
COG	Cognitive Complaints	STW	Stress/Worry		

MMPI-2-RF Externalizing, Interpersonal, and Interest Scales




Raw Score:	1	2	5	6	2	0	0	2	1	0	8
T Score:	50	55	67	67	49	34	36	47	58	33	74
Response %:	100	100	100	100	100	100	100	100	100	86	100

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

JCP	Juvenile Conduct Problems	FML	Family Problems	AES	Aesthetic-Literary Interests
SUB	Substance Abuse	IPP	Interpersonal Passivity	MEC	Mechanical-Physical Interests
AGG	Aggression	SAV	Social Avoidance		
ACT	Activation	SHY	Shyness		
		DSF	Disaffiliativeness		

MMPI-2-RF PSY-5 Scales



Raw Score:	15	5	11	6	0
T Score:	74	63	63	49	32
Response %:	100	96	95	90	100

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

- AGGR-r Aggressiveness-Revised
- PSYC-r Psychoticism-Revised
- DISC-r Disconstraint-Revised
- NEGE-r Negative Emotionality/Neuroticism-Revised
- INTR-r Introversiion/Low Positive Emotionality-Revised

MMPI-2-RF T SCORES (BY DOMAIN)

PROTOCOL VALIDITY

Content Non-Responsiveness	<u>17</u>	<u>48</u>	<u>57 T</u>			
	CNS	VRIN-r	TRIN-r			
Over-Reporting	<u>74</u>	<u>42</u>		<u>66</u>	<u>32*</u>	<u>46</u>
	F-r	Fp-r		Fs	FBS-r	RBS
Under-Reporting	<u>47</u>	<u>45*</u>				
	L-r	K-r				

SUBSTANTIVE SCALES

Somatic/Cognitive Dysfunction		<u>42</u>	<u>52</u>	<u>46</u>	<u>42</u>	<u>53</u>	<u>69</u>
		RC1	MLS	GIC	HPC	NUC	COG
Emotional Dysfunction	<u>43</u>	<u>49</u>	79	<u>52</u>	<u>42</u>	<u>51</u>	
	EID	RCd	SUI	HLP	SFD	NFC	
		<u>34</u>	<u>32</u>				
		RC2	INTR-r				
		<u>55</u>	<u>47</u>	<u>44</u>	<u>54</u>	<u>43</u>	<u>46</u>
		RC7	STW	AXY	ANP	BRF	MSF
							NEGE-r
Thought Dysfunction	<u>60</u>	<u>70</u>					
	THD	RC6					
		<u>66</u>					
		RC8					
		<u>63</u>					
		PSYC-r					
Behavioral Dysfunction	<u>68</u>	<u>62</u>	<u>50</u>	<u>55</u>			
	BXD	RC4	JCP	SUB			
		<u>80</u>	<u>67</u>	<u>67</u>	<u>74</u>	<u>63</u>	
		RC9	AGG	ACT	AGGR-r	DISC-r	
Interpersonal Functioning		<u>49</u>	<u>47*</u>	<u>34</u>	<u>36</u>	<u>47</u>	<u>58</u>
		FML	RC3	IPP	SAV	SHY	DSF
Interests		<u>33*</u>	<u>74</u>				
		AES	MEC				

*The test taker provided scorable responses to less than 90% of the items scored on this scale. See the relevant profile page for the specific percentage.

Note. This information is provided to facilitate interpretation following the recommended structure for MMPI-2-RF interpretation in Chapter 5 of the *MMPI-2-RF Manual for Administration, Scoring, and Interpretation*, which provides details in the text and an outline in Table 5-1.

ITEM-LEVEL INFORMATION

Unscorable Responses

Following is a list of items to which the test taker did not provide scorable responses. Unanswered or double answered (both True and False) items are unscorable. The scales on which the items appear are in parentheses following the item content.

- 9. Item Content Omitted. (RC7, NEGE-r)
- 15. Item Content Omitted. (Fs, FBS-r, RC1)
- 36. Item Content Omitted. (FBS-r, K-r, RC3)
- 55. Item Content Omitted. (VRIN-r, FBS-r, RC3)
- 99. Item Content Omitted. (VRIN-r, FBS-r, K-r, RC3)
- 107. Item Content Omitted. (BXD, RC9, DISC-r)
- 121. Item Content Omitted. (RC3)
- 185. Item Content Omitted. (RC3)
- 191. Item Content Omitted. (Fp-r)
- 194. Item Content Omitted. (VRIN-r, RC6)
- 203. Item Content Omitted. (F-r, THD, RC8, PSYC-r)
- 209. Item Content Omitted. (NEGE-r)
- 238. Item Content Omitted. (RC3)
- 296. Item Content Omitted. (AES)
- 304. Item Content Omitted. (RC3)
- 313. Item Content Omitted. (RC1, NUC)
- 326. Item Content Omitted. (RC3)



Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

Critical Responses

Seven MMPI-2-RF scales--Suicidal/Death Ideation (SUI), Helplessness/Hopelessness (HLP), Anxiety (AXY), Ideas of Persecution (RC6), Aberrant Experiences (RC8), Substance Abuse (SUB), and Aggression (AGG)--have been designated by the test authors as having critical item content that may require immediate attention and follow-up. Items answered by the individual in the keyed direction (True or False) on a critical scale are listed below if his T score on that scale is 65 or higher. The percentage of the MMPI-2-RF normative sample that answered each item in the keyed direction is provided in parentheses following the item content.

Suicidal/Death Ideation (SUI, T Score = 79)

- 251. Item Content Omitted. (True, 3.0%)
- 334. Item Content Omitted. (True, 13.5%)

Ideas of Persecution (RC6, T Score = 70)

- 14. Item Content Omitted. (True, 2.9%)
- 34. Item Content Omitted. (True, 10.6%)
- 71. Item Content Omitted. (True, 2.0%)
- 110. Item Content Omitted. (True, 9.9%)

Aberrant Experiences (RC8, T Score = 66)

- 32. Item Content Omitted. (True, 21.1%)
- 85. Item Content Omitted. (False, 17.1%)
- 106. Item Content Omitted. (True, 8.7%)
- 159. Item Content Omitted. (True, 6.0%)
- 240. Item Content Omitted. (True, 8.8%)
- 257. Item Content Omitted. (True, 12.4%)



Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

Aggression (AGG, T Score = 67)

- 23. Item Content Omitted. (True, 39.0%)
- 312. Item Content Omitted. (True, 5.5%)
- 316. Item Content Omitted. (True, 45.1%)
- 329. Item Content Omitted. (True, 12.7%)
- 337. Item Content Omitted. (True, 50.2%)

User-Designated Item-Level Information

The following item-level information is based on the report user's selection of additional scales, and/or of lower cutoffs for the critical scales from the previous section. Items answered by the test taker in the keyed direction (True or False) on a selected scale are listed below if his T score on that scale is at the user-designated cutoff score or higher. The percentage of the MMPI-2-RF normative sample that answered each item in the keyed direction is provided in parentheses following the item content.

Hypomanic Activation (RC9, T Score = 80)

- 13. Item Content Omitted. (True, 40.9%)
- 39. Item Content Omitted. (True, 51.0%)
- 47. Item Content Omitted. (True, 42.7%)
- 61. Item Content Omitted. (False, 61.6%)
- 72. Item Content Omitted. (True, 81.5%)
- 97. Item Content Omitted. (True, 50.5%)
- 118. Item Content Omitted. (True, 57.4%)
- 131. Item Content Omitted. (True, 43.3%)
- 143. Item Content Omitted. (True, 27.5%)
- 155. Item Content Omitted. (True, 41.6%)
- 166. Item Content Omitted. (True, 38.9%)
- 181. Item Content Omitted. (True, 35.3%)
- 193. Item Content Omitted. (True, 32.8%)
- 207. Item Content Omitted. (True, 66.9%)

- 219. Item Content Omitted. (True, 51.5%)
- 244. Item Content Omitted. (True, 56.9%)
- 248. Item Content Omitted. (True, 16.1%)
- 256. Item Content Omitted. (True, 65.7%)
- 267. Item Content Omitted. (True, 12.9%)
- 292. Item Content Omitted. (True, 26.1%)
- 305. Item Content Omitted. (True, 37.6%)
- 316. Item Content Omitted. (True, 45.1%)
- 327. Item Content Omitted. (True, 41.7%)
- 337. Item Content Omitted. (True, 50.2%)



Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

Activation (ACT, T Score = 67)

- 72. Item Content Omitted. (True, 81.5%)
- 166. Item Content Omitted. (True, 38.9%)
- 181. Item Content Omitted. (True, 35.3%)
- 207. Item Content Omitted. (True, 66.9%)
- 219. Item Content Omitted. (True, 51.5%)
- 267. Item Content Omitted. (True, 12.9%)

End of Report

This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.
